illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

Phinting date 21.03.2016	Version number 4	Revision. 21.03.2010
SECTION 1: Identification undertaking	on of the substance/mixtu	re and of the company/
· 1.1 Product identifier		
· Trade name: illbruck AA404		
No further relevant information a	<b>the substance or mixture and uses</b> vailable. <b>the mixture</b> Cleaning agent / Cleane	-
<ul> <li>1.3 Details of the supplier of th</li> <li>Manufacturer/Supplier: tremco illbruck Productie B.V.</li> <li>Vlietskade 1032, 4241 WC Arkel</li> <li>T: +31 (0) 183568000, F: +31 (0)</li> <li>msds@tremco-illbruck.com</li> </ul>		
<ul> <li>Further information obtainable tremco illbruck Ltd</li> <li>Coupland Road, Hindley Green,</li> <li>T: +44 (0) 1942251400, F: +44 (0)</li> <li>www.tremco-illbruck.co.uk, uk.inf</li> </ul>	Wigan, WN2 4HT )) 1942251410	
• <b>1.4 Emergency telephone num</b> During office hours tel.: +44 (0) 7 centre.	<b>ber:</b> 1942251400. At all other times please	e contact your national poisoning
SECTION 2: Hazards ident	ification	
<ul> <li>2.1 Classification of the substation</li> <li>Classification according to Report Flam. Liq. 2 H225 Highly flamm</li> <li>Eye Irrit. 2 H319 Causes serior</li> <li>STOT SE 3 H336 May cause d</li> </ul>	<b>gulation (EC) No 1272/2008</b> able liquid and vapour. ous eye irritation.	
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulat The product is classified and labe</li> <li>• Hazard pictograms</li> </ul>	tion (EC) No 1272/2008 elled according to the CLP regulation.	
GHS02 GHS07		
· Signal word Danger		
<ul> <li>Contains: propan-2-ol acetone</li> <li>Hazard statements H225 Highly flammable liquid and H319 Causes serious eye irritatio H336 May cause drowsiness or o</li> </ul>	on.	(Contd. on page 2)
		(Contd. on page 2) GB —

lillbruck

according to 1907/2006/EC, Article 31

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

# Trade name: illbruck AA404

(Contd. of page 1)

· Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition P210 sources. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P233 Keep container tightly closed. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store in a well-ventilated place. Keep cool. P403+P235 · Supplemental information: EUH066 Repeated exposure may cause skin dryness or cracking. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 67-63-0	propan-2-ol	50- <75%
EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119457558-25-xxxx	H336	
CAS: 67-64-1	acetone	30- <50%
EINECS: 200-662-2	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2219471330-49-xxxx	H336	
· Additional information: For the	wording of the listed hazard phrases refer to section 16.	

## **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

- · General information: Take affected persons out of danger area and lay down.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
   If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** Headache Gastric or intestinal disorders

#### Gastric or intestinal disorders Nausea

according to 1907/2006/EC, Article 31

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

Trade name: illbruck AA404

(Contd. of page 2)

Dizziness

Unconsciousness

- · Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Cool endangered receptacles with water spray.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
   Ensure adequate ventilation
   Keep away from ignition sources.
   6.2 Environmental precautions:
   Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand diatomite acid binders universal)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Keep receptacles tightly sealed.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- $\cdot$  7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.



ac	cording to 1907/2006/EC, Article 3 <sup>,</sup>	1
Printing date 21.03.2016	Version number 4	Revision: 21.03.2016
Trade name: illbruck AA404		
		(Contd. of page 3)
Provide solvent resistant, seal		
Store away from oxidising age	one common storage facility:	
Do not store together with alka		
· Further information about st		
Store in cool, dry conditions in	well sealed receptacles.	
Protect from heat and direct si		
• 7.3 Specific end use(s) No fu	Irther relevant information available.	
•	ontrols/personal protection t design of technical facilities: No furt	her data; see item 7.
	that require monitoring at the workp	lace:
67-63-0 propan-2-ol		
WEL Short-term value: 1250 Long-term value: 999 m		
67-64-1 acetone		
WEL Short-term value: 3620		
Long-term value: 1210 r		
· Additional information: The	lists valid during the making were used a	as basis.
<ul> <li>8.2 Exposure controls</li> </ul>		
<ul> <li>Personal protective equipment</li> </ul>		
General protective and hygi		
Wash hands before breaks an		
Do not inhale gases / fumes / Avoid contact with the eyes an		
Do not eat, drink, smoke or sn		
· Respiratory protection:	3	
In case of brief exposure or le exposure use self-contained re Suitable respiratory protective		<ol> <li>In case of intensive or longer</li> </ol>

Filter A

- · Protection of hands: Solvent resistant gloves
- · Material of gloves Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.50$  mm

· Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

Trade name: illbruck AA404

· Body protection: Solvent resistant protective clothing

SECTION 9: Physical and chemical properties			
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:</li> </ul>			
Form:	Liquid		
Colour:	According to product specification		
<ul> <li>Odour:</li> <li>Odour threshold:</li> </ul>	Solvent-like Not determined.		
<ul> <li>• pH-value:</li> <li>• Melting point/Melting range:</li> </ul>	Not determined. Undetermined.		
· Boiling point/Boiling range:	55 °C		
· Flash point:	-18 °C		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	425 °C		
· Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not selfigniting.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.		
· Explosion limits:			
Lower:	2.0 Vol %		
Upper:	13.0 Vol %		
· Vapour pressure:	Not determined.		
· Density at 20 °C:	0.79 g/cm <sup>3</sup> Not determined.		
<ul> <li>Relative density</li> <li>Vapour density</li> </ul>	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
water:	Fully miscible.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
· Solvent content:	700.0 - //		
VOC (EU)	790.0 g/l		
VOC (EC) · 9.2 Other information	100.00 % No further relevant information available.		

(Contd. on page 6)



(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

illbruck

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

Trade name: illbruck AA404

(Contd. of page 5)

	SECTION 10: Stability and reactivity
	<ul> <li>10.1 Reactivity No further relevant information available.</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. No decomposition if used according to specifications.</li> <li>10.3 Possibility of hazardous reactions Forms explosive gas mixture with air. Reacts with strong oxidising agents. Reacts with alkali (lyes). Reacts with amines.</li> <li>10.4 Conditions to avoid No further relevant information available.</li> <li>10.5 Incompatible materials: No further relevant information available.</li> <li>10.6 Hazardous decomposition products: Flammable gases/vapours Carbon monoxide and carbon dioxide</li> </ul>
	SECTION 11: Toxicological information · 11.1 Information on toxicological effects · Acute toxicity Based on available data, the classification criteria are not met.
ſ	· LD/LC50 values relevant for classification:
67-63-0 propan-2-ol	
	Oral LD50 5045 mg/kg (rat)
	Dermal LD50 12800 mg/kg (rabbit)
	Inhalative LC50/4 h 30 mg/L (rat)
	· Primary irritant effect:
	<ul> <li>Skin corrosion/irritation Based on available data, the classification criteria are not met.</li> <li>Serious eye damage/irritation Causes serious eye irritation.</li> <li>Respiratory or skin sensitisation Based on available data, the classification criteria are not met.</li> <li>CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)</li> <li>Germ cell mutagenicity Based on available data, the classification criteria are not met.</li> <li>Carcinogenicity Based on available data, the classification criteria are not met.</li> <li>Carcinogenicity Based on available data, the classification criteria are not met.</li> <li>StoT-single exposure May cause drowsiness or dizziness.</li> <li>STOT-repeated exposure Based on available data, the classification criteria are not met.</li> <li>Aspiration hazard Based on available data, the classification criteria are not met.</li> </ul>
	SECTION 12: Ecological information
Г	· 12.1 Toxicity
	· Aquatic toxicity:
	67-63-0 propan-2-ol
	LC50/96 h 9640 mg/L (pimephales promelas)

according to 1907/2006/EC, Article 31

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

Trade name: illbruck AA404

(Contd. of page 6)

LC50/48 h > 100 mg/L (leuciscus idus)

EC50/48 h 13299 mg/L (daphnia magna)

EC50/72 h > 1000 mg/L (desmodesmus subspicatus)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

# · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Waste disposal key: UK (WM3) : HP3 HP4 HP5

European waste catalogue
 07 01 04\* other organic solvents, washing liquids and mother liquors
 15 01 10\* packaging containing residues of or contaminated by hazardous substances

### · Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S., specia provision 640D (ACETONE, ISOPROPANO (ISOPROPYL ALCOHOL))
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE ISOPROPANOL (ISOPROPYL ALCOHOL))





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.03.2016	Version number 4	Revision: 21.03.201
Trade name: illbruck AA404		
		(Contd. of page
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR		
· Class	3 (F1) Flammable lie	quids.
· Label	3	
· IMDG, IATA		
· Class · Label	3 Flammable liquids 3	5.
<ul> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	II	
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	No	
<ul> <li>· 14.6 Special precautions for user</li> <li>· Danger code (Kemler):</li> <li>· EMS Number:</li> <li>· Stowage Category</li> </ul>	Warning: Flammabl 33 F-E, <u>S-E</u> B	e liquids.
<ul> <li>14.7 Transport in bulk according to Marpol and the IBC Code</li> </ul>	o Annex II of Not applicable.	
Transport/Additional information:		
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>		ity per inner packaging: 30 ml ity per outer packaging: 500 m
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	2 D/F	
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quant	ity per inner packaging: 30 ml ity per outer packaging: 500 m
· UN "Model Regulation":		IMABLE LIQUID, N.O.S PROPANOL (ISOPROPY
	· · · ·	

(Contd. on page 9)

GB -

according to 1907/2006/EC, Article 31

Printing date 21.03.2016

Version number 4

Revision: 21.03.2016

Trade name: illbruck AA404

(Contd. of page 8)

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"CHIP" SI 2009 No.716.

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015

#### · National regulations:

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### Abbreviations and acronyms: ADR: Accord européen sur le transport des m

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

 $\cdot$  \* Data compared to the previous version altered.



